

Tech Info Library

QuickFile III: Merging Files

Revised: 1/20/86 Security: Everyone

QuickFile III: Merging Files

Even though QuickFile doesn't offer you the option of merging files, it does give you a foot in the door by letting you print reports to diskette. To merge files in QuickFile:

First, design a "labels" format that prints each field of a record one below the other, with no blank lines between labels. Even if a field is blank, choose to print lines on continuous paper with no top or bottom margins and no headers. This will result in a file of contiguous, identically-structured records. Be sure that the files have the same number of fields in each record; control this number with the report format. The names of the fields are irrelevant. After the files you want to combine are printed to diskette, use AppleWriter, Pascal Editor, or a similar text editor to combine the files and re-save them to diskette as one file.

Apple III users with Pascal can then make an EXEC file that starts up QuickFile and creates a new file. You must create a new file, though: you can't jump right into an existing file, since the EXEC mechanism cannot recognize and record the OA-I you need in order to go into Insert Mode. Don't terminate (%%) the EXEC file until QuickFile is waiting for input of the first field of the first record of the new file. After terminating the EXEC file, quit QuickFile. Don't save this new file, though. Using your text editor again, load the EXEC file, and then load your combined file (see above) into the position just before the "%%%". Again save the file. Executing this file will cause a new QuickFile file to be created, and all of your data will be "typed" in by the disk drive.

Apple Technical Communications

Tech Info Library Article Number:192