

Tech Info Library

Pascal: Turtlegraphics -- Circles

Revised: 11/21/84 Security: Everyone

Pascal: Turtlegraphics -- Circles

The program below is supposed to draw a circle, but it doesn't--it draws an octogon. The drawing routines can calculate exactly where the end of the line will be, but with a move of only one dot, the result is limited to one of the eight adjacent dots. For example, if we move a distance of one dot at an angle of five degrees, then the co-ordinates of the destination are X + 0.09, Y + 0.99, which are rounded to X + 0, Y + 1.

Calculated Angle	Actual Angle
0 - 22.5	0
22.5 - 67.5	45
67.5 - 112.5	90
112.5 - 157.5	135
157.5 - 202.5	180
202.5 - 247.5	225
247.5 - 292.5	270
292.5 - 337.5	315
337.5 - 382.5	0

The next table gives the calculated and actual X and Y coordinates for an angle of 5 degrees and varying move distances.

	X-Coordinate		Y-Coord	Y-Coordinate	
Move	Calc	Act	Calc	Act	
1	0.09	0	0.99	1	
2	0.17	0	1.99	2	
3	0.26	0	2.98	3	
4	0.35	0	3.98	4	
5	0.43	0	4.98	5	
6	0.52	1	5.97	6	

The next diagram simulates the High-Res graphics display. Clearly, you must move at least 6 units for 5 degrees to show any effect.

		v o M	<i>у</i> е		
1	2	3	4	5	6

..TIL00701-Pascal-Turtlegraphics_-Circles_(TA45415).pdf

```
* * * * * * * * * * * *
```

As you can see, the computer can't display a 5 degree change unless the move is at least 6 units.

```
PROGRAM CIRCLE;

USES Turtlegraphics;

VAR I : INTEGER;

BEGIN
    INITTURTLE;
    PENCOLOR (WHITE);
    FOR I := 1 TO 8 DO BEGIN
        MOVE (1);
        TURN (1);
    END;
    READLN;
END.

Apple Tech Notes

Tech Info Library Article Number:701
```