



# Tech Info Library

## Macintosh System Size Varies With Amount of RAM Available

Revised: 9/6/88  
Security: Everyone

Macintosh System Size Varies With Amount of RAM Available

=====  
This article last reviewed: 4 August 1988

Some users have noticed that the amount of memory taken up by the Macintosh system seems to depend on the amount of RAM available.

For instance, in a Macintosh II with 1MB RAM, the system often occupies only 300-400K of memory, but in one user's Macintosh II with 8MB ram, the system took up 2.6 MB of memory!

The answer is to be found in the Start Manager, which on system startup assesses a number of variables, including:

- which microprocessor is present
- amount of RAM installed
- whether the RAM Cache is set and for what amount (although this has a greater impact on the application heap than on the system heap).

The Start Manager dynamically installs what it considers the optimum number of System resources, Fonts, Inits, DAs, drivers, to give the Macintosh the best performance. You do NOT have control over what system resources and code are installed at this point.

You can, however, control the amount of RAM consumed by extraneous Inits and RDevs, as well as the memory set aside for RAM Cache. Eliminate any extraneous CDevs containing Inits and RDevs, and choose a smaller RAM Cache setting -- or turn it off entirely.

As an example, eliminating a couple of CDevs such as Sound Master and ColorDesk could free up 650K of system heap space, memory that you may need for your applications.

Copyright 1988 Apple Computer, Inc.

Tech Info Library Article Number:3162