



Computer	Sold- RAM (MB)	# of SIMM/ DIMM Slots	Supported SIMM/DIMM Sizes (MB)	DRAM Configs (MB)	RAM Speed (ns)	RAM Type	Max. RAM (MB)	In- RAM Groups of
128	128K	0	N/A	128K	N/A	N/A	N/A	
512K/512KE	512K	0	N/A	512K	N/A	N/A	N/A	2
Plus	0	4	256K,1	1,2.5,4	150	30-pin SIMM	4	2
SE	0	4	256K,1	1,2,2.5,4	150	30-pin SIMM	4	2
SE/30	0	8	256K,1,4	1,2,4,5,8,16 17,20,32	120	30-pin SIMM	32	4
Classic	1	2	256K,1	1,2,2.5,4	150	30-pin SIMM	4	2
Classic II Performa 200	2	2	1,2,4	2,4,6,10	100	30-pin SIMM	10	2
Color Classic	4	2	1,2,4	4,6,8,10	100	30-pin SIMM	10	2

Macintosh II Models								
Computer	Sold- RAM (MB)	# of SIMM/ DIMM Slots	Supported SIMM/DIMM Sizes (MB)	DRAM Configs (MB)	RAM Speed (ns)	RAM Type	Max. RAM (MB)	In- RAM Groups of
II	0	8	256K,1,4,16	1,2,4,5,8,16 17,20,32,64, 65,68,80,128	120	30-pin SIMM	128	4
IIx	0	8	256K,1,4,16	1,2,4,5,8,16 17,20,32,64, 65,68,80,128	120	30-pin SIMM	128	4
IIcx	0	8	256K,1,4,16	1,2,4,5,8,16 17,20,32,64, 65,68,80,128	120	30-pin SIMM	128	4
IIci	0	8	256K,512K 1,2,4,16	1,2,3,4,5,6, 8,9,10,12,16 17,18,20,24, 32 to 128	80	30-pin SIMM	128	4

IIIfx	0	8	1,4,16	4,8,16,20 32 to 128	80	64-pin SIMM	128	4
IIIsi	1	4	256K,512K, 1,2,4	1,2,3,5,9,17	100	30-pin SIMM	17	4
IIvi, IIvx Performa 600	4	4	256K,1,2,4 16	4,5,8,12,20, 68	80	30-pin SIMM	68	4

LC & Performa Models

Computer	Sold- RAM (MB)	# of DIMM Slots	Supported SIMM/DIMM Sizes (MB)	DRAM Configs (MB)	RAM Speed (ns)	RAM Type	Max. RAM (MB)	In- stall in Group of
LC	2	2	1,2,4	2,4,6,10	100	30-pin SIMM	10	2
LC II Performa 400, 405, 410, 430	2 4	2	1,2,4	2,4,6,10 4,6,8,10	100	30-pin SIMM	10	2
LC III Performa 450, 460, 466, 467	4	1	1,2,4,8,16, 32	4,5,6,8,12, 20,36	80	72-pin SIMM	36	1
LC 475 Quadra 605 Performa 475, 476	4	1	1,2,4,8,16, 32	4,5,6,8,12, 20,36	80	72-pin SIMM	36	1
LC 520	4	1	1,2,4,8,16 32	4,5,6,8,12, 20,36	80	72-pin SIMM	36	1
LC 550 Performa 550, 560	4	1	1,2,4,8,16 32	4,5,6,8,12, 20,36	80	72-pin SIMM	36	1
LC 575 Performa 575, 577, 578	4	1	1,2,4,8,16 32	4,5,6,8,12, 20,36	80	72-pin SIMM	36	1
LC 580 Performa 580	4	2	Inside slot 1,4,16 Outside	6,7,9,10,12, 13,21,22,24, 28,36,37,40,	80	72-pin SIMM	52	1

Performa 631			slot: 1,2,4,8,16 32	46,52					
LC 630, Quadra 630 Performa 630, 635, 636, 637, 638	4	1	1,2,4,8,16	4,8,20,36	80	72-pin SIMM	36	1	
LC 630 DOS Compatible Performa 640 DOS	4	2 + (1 on DOS card)	1,2,4,8,16 32	4,5,6,8, 12,20,36, 52	80	72-pin SIMM	52	52	1
+=====+									
Macintosh Quadra & Centris   Models									
+=====+									
Computer	Sold- RAM (MB)	# of SIMM/ DIMM Slots	Supported SIMM/DIMM Sizes (MB)	DRAM Configs (MB)	RAM Speed (ns)	RAM Type	Max. RAM (MB)	In- stall in Groups of	
Centris 610	4	2	4,8,16,32	4,8,12,20,28 36,40,44,52, 68	80	72-pin SIMM	68	1,2	
Quadra 610	4	2	4,8,16,32 non-	4,8,12,20,28 36,40,44,52, 68	80	72-pin SIMM	68	1,2	
Centris 650	4 or 8	4	4,8,16,32	4,8,12,16,20 24,28,32,36, 40,44,48,52, 56,60,64,68, 72,76,80,84, 88,92,100, 104,108,116, 132	80	72-pin SIMM	132	1,2	
Quadra 650	8	4	4,8,16,32	8,12,16,20, 24,28,32,36, 40,48,52,56, 60,64,68,72, 76,80,84,88, 108,112,120, 136-169	80	72-pin SIMM	169	1,2	
Centris/ Quadra	8	2	4,8,16,32	4,8,12,20,36 68	70	72-pin SIMM	68	1,2	

660AV								
Quadra 700	4	4	1,4	4,8,20	80	30-pin SIMM	20	4
Quadra 900	0	16	1,4	4,8,12,16,20 24,28,32,36, 40,48,52,64	80	30-pin SIMM	64	4
Quadra 950	0	16	1,4	4,8,12,16,20 24,28,32,36, 40,48,52,64	80	30-pin SIMM	64	4
Quadra 800	8	4	4,8,16,32	8,12,16,20, 24,28,32,36, 40,42,48,52, 56,60,64,68, 72,76,80,84, 88,92,96,104 108,112,120 136	60	72-pin SIMM	136	1,2
Quadra 840AV	0	4	4,8,16,32	4,8,12,16,20 20,24,28,32, 32,36,40,44, 48,52,56,60, 64,68,72,76, 80,84,88,92, 96,100,104, 108,112,116, 120,124,128	60	72-pin SIMM	128	1,2

End\_Table

Article Change History:

23 Sep 1996 - Reformatted, reviewed, and updated.

27 Jun 1996 - Added additional computers.

02 Jan 1996 - Updated Quadra 840AV information.

Copyright 1991-96, Apple Computer, Inc.

Tech Info Library Article Number:6784