

## **Macintosh: Opening Documents and Differing Application Versions**

Revised: 9/19/91 Security: Everyone

Macintosh: Opening Documents and Differing Application Versions

\_\_\_\_\_

Article Created: 13 June 1991 Article Last Reviewed: Article Last Updated:

TOPIC -----

When I double-click on a document, the Macintosh Finder also launches the application that created the document. However, when there is more than one copy of an application on a volume, the copy of the application that gets launched isn't predictable.

- 1) How does the Finder determine which application to launch?
- 2) Can I control which version of the application will be launched?

This problem is especially annoying when still working with HyperCard 1.2.x and 2.x.

DISCUSSION -----

 There are two different answers to this question, one for System 6 and one for System 7:

In System 6, a volume that has two or more copies of an application, or where there are different versions that use the same creator, the last copy installed on that volume is the one that launches.

In System 7, the application with the most recent creation date is the one that launches.

 There is no way to change this. However, a sure way to eliminate the version confusion is to change the Creator of the applications you don't want to launch.

## ..TIL08521-Macintosh-Opening\_Documents\_and\_Differing\_Application\_Versions\_(TA46936).pdf

For example, use ResEdit to change the creator of HyperCard from "WILD" to "FRED". When you double-click on a stack, the system will go looking for the application whose creator matches the creator of the document (stack). If you have another copy of HyperCard (say, 2.0v2) on a mounted device, it will be launched. Saving files from the changed application is unaffected (they still have "WILD" for their creator).

So, your solution is to change the creator of all non-current HyperCard applications to something other than "WILD" (try "DLIW"; it's probably not used by other applications). All stacks launched will come up in HyperCard 2.0v2. Opening the stacks in other versions is done by launching the application and using "Open..." in the file menu.

Copyright 1991 Apple Computer, Inc.

Tech Info Library Article Number:8521