



Tech Info Library

A/UX: Duplicate Characters Within mail ~ Command (4/95)

Revised: 4/26/95
Security: Everyone

A/UX: Duplicate Characters Within mail ~ Command (4/95)

=====
Article Created: 5 March 1993
Article Reviewed/Updated: 26 April 1995

TOPIC -----

I am using mail by rlogin to a Sun from the command shell application on A/UX 3.0. Whenever I type a ~ (tilde) command, it is duplicated on the screen. For example, when I type ~v, the command shell echoes ~v~v. This happens only with ~ commands and not other characters. I looked at the terminal characteristics under the command shell, and they were set to the defaults. The terminal type is set to VT100.

When I connect to the Sun from Mac OS via VersaTerm, I don't get this problem. In addition, other Suns rlogging do not have this problem.

DISCUSSION -----

We have experienced the same symptom. Although the mail command shell echoed (~v~v for example) on the screen, it still performed its task.

We think the problem is a conflict in using the SAME escape character '~' between the 'rlogin' and the 'mailx' program. The 'mailx' program uses the '~' character as an executing command within mail. While the 'rlogin' program uses the DEFAULT '~' character for escaping the rlogin session.

You could avoid the symptom by changing the rlogin escape character to another character via the -e option of the rlogin command line. For instance:

```
rlogin grumpy -e@ -l dchen
```

This uses the '@' character instead of the default '~' character.

Article Change History:
26 Apr 1995 - Made correction of typographical errors.

Support Information Services

Copyright 1993-95, Apple Computer, Inc.

Tech Info Library Article Number:11733