



# Tech Info Library

## A/UX: Glossary of Terms (8/94)

Revised: 8/30/94  
Security: Everyone

A/UX: Glossary of Terms (8/94)

=====

Article Created: 14 January 1992  
Article Reviewed/Updated: 30 August 1994

TOPIC -----

This document contains an edited version of the September 1989 A/UX Glossary.

DISCUSSION -----

/usr/group. An organization of UNIX users.

/usr/tmp. The /usr subdirectory that serves as storage for temporary files that many utilities produce.

AIX. Advanced Interactive Executive; IBM's UNIX operating system.

Archer Group. The former name of UNIX International (AT&T-aligned companies).

autoconfiguration. A/UX capability to automatically configure the smallest possible kernel by checking for installed NuBus cards.

autorecovery. A/UX capability to reinstall critical system files from duplicate copies on disk. in the event of a system corruption. This is unique to Apple.

B-Net. UNISOFT's port of Berkeley Networking Services; BSD software to provide TCP/IP communication.

background processing. The ability to run programs in the background (behind the scenes) while freeing the display screen for other tasks.

Berkeley Networking Services. B-Net; a utility to provide TCP/IP communication.

binary file. Any executable file.

Bourne shell. The command shell that Steven Bourne developed at AT&T.

BSD. Berkeley Software Distribution, the University of California (Berkeley) version of UNIX. The most common versions are 4.2 and 4.3.

C. A high-level language with few hardware dependencies; the UNIX operating system is written in C.

C Shell. The command interpreter developed by U.C. Berkeley programmers

CASE. Computer-aided software engineering.

commands. See Utilities or command name

DECWindows. DEC's proprietary windowing system; the programming interface for DECwindows is incorporated in OSF's standard windowing system. It is based on X Window System from MIT.

directory. A collection of subdirectories and files; a Macintosh folder.

Federal Information Processing. The U.S. federal government's standard for computer purchases; FIPS 151 is based on IEEE's POSIX 1003.1 standard (currently based on Draft 12, Standard (FIPS) of POSIX 1003.1).

FIPS. See Federal Information Processing Standard.

GOSIP. The U.S. federal government's version of the OSI standard.

HFX. Hierarchical File Exchange; a file-translation utility to transport files between A/UX and Macintosh file systems, so users can work in either environment and transfer information

IEEE. See Institute of Electrical and Electronic Engineers

IEEE POSIX 1003. IEEE's standard for development of vendor-independent applications.

Inside Macintosh. A series of Apple documents that define standards for Macintosh application programming.

Institute of Electrical and Electronic Engineers. The organization that (among other things) creates POSIX standards.

kernel. That portion of the operating system that communicates directly with the hardware to allocate software and hardware resources.

korn shell. A revised command interface that contains features of its two predecessors, the Bourne and C shells for AT&T and Berkeley, respectively

man page. A reference manual page, available on-line with most UNIX systems.

MOTIF. OSF's windowing system. A hybrid of Microsoft's Presentation Manager, HP's New Wave, and DECwindows; It is built on the X Window System from MIT.

multitasking. The ability of a CPU to perform multiple tasks simultaneously by rapidly switching among them.

multiuser. The capability that lets more than one user at a time use the computer.

netnews. The global UNIX user bulletin board with over 500 interest groups and over 8000 recipient systems. It also includes an electronic forum for stating opinions, sharing ideas, requesting, receiving, and providing information, and posting public-domain software

Network File System (NFS). The defacto standard from Sun Microsystems for transparent file sharing. This facility enables a user on one vendor's computer to access files on another vendor's computer.

New Wave. The HP windowing system. Portions of New Wave are incorporated in OSF's standard windowing system

NFS. See Network File System

Open Software Foundation (OSF). A standard-development consortium of companies including DEC, Hewlett-Packard (Apollo), and IBM. It grew out of the so-called "Hamilton Group."

OSF1. OSF's UNIX operating system, based on IBM's AIX operating system

operating system. Software that manages a system's resources -- such as CPU, memory, I/O, disk storage, and networks.

OSF. See Open Software Foundation

OSI. A networking standard. OSI is an emerging set of communications protocols (an alternative to TCP/IP) primarily of interest to Europe and the U.S. Federal Government.

pipe. A feature of UNIX command shells that lets tools (known as filters) to be chained together to create new utilities. Piping causes the output of the first command to become the input of the second.

portability. The ability of software to move from one environment with a particular computer and operating system to another environment; transferability from one computer to another. There are two kinds: Source-level portability requires recompilation. Object-level portability requires only moving the file to the new machine.

POSIX. A set of standards formulated by IEEE as guidelines to allow for development of vendor-independent applications. POSIX 1003.1 defines the UNIX-based operating system interface standard.

Presentation Manager. Microsoft's windowing system. Its human interface constructs have been incorporated in OSF's MOTIF standard windowing system.

SASH. Stand Alone Shell of A/UX; A Macintosh application that shuts down the Macintosh OS to start A/UX. It also allows limited access to A/UX files without starting A/UX.

SCCS. See Source Code Control System.

Serial Line/Internet Protocol (SL/IP). A communications protocol that provides features of TCP/IP over slower, longer distance serial lines. Capabilities like NFS and Telnet Virtual Terminal are available over SL/IP.

shell. A specialized UNIX utility that serves as a character oriented, command-line user interface. C, Bourne, and Korn are three shells available with A/UX.

shellscript. A file containing a list of commands to be executed sequentially; a batch file.

Single-tasking. Allowing only one operation at a time. Contrast with multitasking.

single-user. Allowing only one person at a time to use the computer. Contrast with multiuser.

SL/IP. See Serial Line/Internet Protocol

Source Code Control System (SCCS). A utility developed to control versions of software source code, so they can be safely accessed by multiple programmers and writers on a large project.

superuser. System administrator on a UNIX system who has special privileges like changing file permissions, reassigning its ownership, or deleting.

SVID. See System V Interface Definition

SVVS. See System V Verification Suites

System V Interface Definition (SVID). The AT&T standard that defines core elements of the System V operating system. SVID-1 describes AT&T V.2, and SVID-2 describes AT&T V.3.

System V Verification Suites (SVVS). AT&T software that runs on a UNIX system to test whether that system meets the SVID. SVVS 1 and 2 correspond to and test for compliance with SVID 1 and 2 and V.2 and V.3, respectively.

TCP/IP. See Transmission Control Protocol/Internet Protocol.

Transfer Control Protocol/Internet Protocol (TCP/IP). A communications protocol and defacto standard protocol for Ethernet networks used by most UNIX environments. TCP/IP is typically the underlying protocol with NFS, Telnet, and X Window System.

Trusted systems. The U.S. federal government's graded approach to security standards. Also known as "Orange Book." It defines a series of levels of Trust. C1 to A1 where C2 will be the basic requirement for government security in the near future, B1 is a greater level of security and is expected to be the level typically requested for secure government bids.

UI. See UNIX International.

UNIX International (UI). A consortium of companies that follow the AT&T standard for UNIX systems. Originally created to counteract OSF's efforts (previously called Archer group)

usenet. Global Unix mail service sponsored by various universities and large corporations. It tends to be the primary method for UNIX users to share information.

utility. A program that does most operating services, like listing, copying, renaming, and removing files.

uucp. The UNIX to UNIX Copy command is a utility that enables file transfers between UNIX systems and allows automatic transmission of mail messages.

X Window System Consortium. A group originated by MIT that defines X Window System standards for future versions. Apple is a member.

X Window System. A device-independent multitasking environment, originally designed by MIT, for windowing and graphics. It operates across heterogeneous networks.

X/OPEN Standards Committee. A group begun in Europe that sets standards for UNIX and related tools. It focuses primarily on user needs and includes UI and OSF in its membership.

Yellow Pages. A distributed network database service that makes available to workstations copies of files maintained on the server. Usually used in conjunction with NFS. Licensed and developed by Sun Microsystems

Article Change History:  
30 Aug 1994 - Reviewed

Support Information Services

Copyright 1992,1994 Apple Computer, Inc.

Tech Info Library Article Number:9707